




IB/2004/03424



INVESTOR IN PEOPLE




The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 29 October 2004

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

BEST AVAILABLE COPY

THE PATENT OFFICE
CR

Patents Form 1/77 2 2 OCT 2003

Patents Act 1977
(Rule 16)

RECEIVED BY FAX

The
Patent
Office22OCT03 E846477-1 D02824
P01/7700 0.00-0324627.9

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form).

2 2 OCT 2003 ✓

1. Your Reference

P.7257.GBA

2. Patent application number

(The Patent Office will fill in this part)

0324627.9 ✓

3. Full name, address and postcode of the or of each applicant (underline all surnames)

WATERLEAF LIMITED
1st Floor
28 Victoria Street
Douglas
IM1 2LE, GB

Patents ADP number (if you know it)

08230831002

If the applicant is a corporate body, give the country/state of its incorporation

ISLE OF MAN

4. Title of the invention

REDUNDANT GAMING SYSTEM

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

MAGUIRE BOSS
5 Crown Street
St. Ives
Cambridgeshire
PE27 5EB, G.B.

Patents ADP number (if you know it)

07188725001 ✓

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last six months

Country

Priority application number
(if you know it)Date of filing
(day/month/year)

7. Divisionals etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)

Number of earlier application

Date of filing
(day/month/year)

8. Is a Patents Form 7/77 (Statement of Inventorship and of right to grant of a patent) required in support of this request?

Yes

Answer YES if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body;

Otherwise answer NO (See note d)

Patents Form 1/77

Patents Form 1/77

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form

Description

10

Claims(s)

Abstract

Drawing(s)

1

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)


Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s)



Date: 22.10.03

MAGUIRE BOSS

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

PETER MAGUIRE

Tel: 01480 301588

e-Mail: patents@maguires.co.uk

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'YES' in part 8, Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.

1

5

10

15 **REDUNDANT GAMING SYSTEM****FIELD OF THE INVENTION**

20

This invention relates to a gaming system and, more particularly, to a gaming system that enables a player to play a game of chance. The invention extends to a method of operation of the gaming system.

25

BACKGROUND TO THE INVENTION

Gaming systems for playing games of chance have become popular and increasingly common in a large number of different jurisdictions, for the purpose of providing entertainment and recreation to users thereof.

30

In its simplest form, a gaming system consists of a standalone player station, which offers a player a menu of one or more games of chance that the player can select for play. The games of chance have outcomes that are determined by random events, usually generated by means of a random number generator implemented in software. In an alternative topology, the gaming system may be a

35

5 distributed one, in which one or more player stations are connected to a remote gaming server by means of a communication network. In the standalone implementation, the software random number generator executes locally within the player station itself, while in the distributed implementation, the software random number generator executes in the gaming server and serves each one of
10 the remote player stations.

It will be appreciated by those skilled in the art that the software random number generator is a critical component of such a gaming system, as unreliability or failure of the random number generator renders the gaming system inoperative.
15 This is particularly so in a distributed topology where multiple player stations rely on a single random number generator, as failure of the random number generator will have an impact on every one of the player stations. In order to minimise the possibility of failure of the random number generator, it is customary for the random number generator to be implemented on a high-reliability gaming server,
20 which is unnecessarily expensive.

OBJECT OF THE INVENTION

25 It is an object of this invention to provide a gaming system, and a method of operation thereof, that will, at least partially, alleviate the abovementioned difficulties and disadvantages.

SUMMARY OF THE INVENTION

In accordance with this invention there is provided a gaming system, comprising:
at least one player station capable of displaying to a player a simulation of at least one game of chance;
35 a primary random event generator communicable with the at least one player station by means of a communication network, the primary random event

- 5 generator being responsive to a request from the at least one player station to generate one or more random events upon which an outcome of the at least one game of chance is based;
- a secondary random event generator communicable with the at least one player station, the secondary random event generator being activatable by the at least
- 10 one player station to generate, in response to a request from the at least one player station, one or more random events upon which an outcome of the at least one game of chance is based; and
- a controller arranged to monitor a status of the primary random event generator, the status of the primary random event generator being an active status when the
- 15 primary random event generator generates one or more random events in response to a request from the at least one player station, and a failed status when the primary random event generator fails to generate one or more random events in response to a request from the at least one player station, the controller being arranged to automatically activate the secondary random event
- 20 generator upon transition of the status of the primary random event generator from an active status to a failed status.

- Further features of the invention provide for the secondary random event generator to be communicable with the at least one player station by means of
- 25 the same communication network, for the secondary random event generator to have a status that is switchable between an inactive state when the status of the primary random event generator is active, and an active state when secondary random event generator is activated by the controller, for the primary and secondary random event generators to be software random number generators,
- 30 for the primary software random number generator to be executable in a first gaming server remote from the at least one player station, for the secondary software random event generator to be executable in a secondary gaming server remote from the at least one player station, for the gaming system to include a watchdog facility that detects failure of either one of the primary random number
- 35 generator and the primary gaming server, for the watchdog facility to transmit a request data packet to the primary gaming server at regular intervals and to

5 monitor each request data packet for a corresponding response from the primary gaming server within a predetermined time interval, for the watchdog facility to instruct the controller to switch the status of the primary random event generator from the active state to the failed state when any request data packet from the watchdog facility does not receive a corresponding response from the primary
10 random event generator within the predetermined time period, and for the at least one player station to direct any request for generation of the one or more random events to the secondary random event generator when the status of the secondary random event generator is a failed status.

15 Still further features of the invention provide for the at least one player terminal to be a computer workstation, for the communication network to be the Internet, for the watchdog facility to be a watchdog timer program executable in the at least one player station, for the primary and secondary servers to be communicable with each other by means of the communication network, for the primary and
20 secondary gaming servers to each have a corresponding storage memory, for the primary and secondary gaming servers to synchronise data in their respective storage memories data at predetermined intervals, and for the secondary gaming server to generate any one or both an audible and a visual alarm when failure of the primary gaming server has been detected by the watchdog facility.

25

The invention extends to a method of operation of a gaming system, comprising the steps of:

displaying to a player a simulation of at least one game of chance;
requesting a primary random event generator to generate one or more random
30 events upon which an outcome of the at least one game of chance is based;
monitoring a status of the primary random event generator, the status of the primary random event generator being an active status when the primary random event generator generates one or more random events in response to a request, and a failed status when the primary random event generator fails to generate
35 one or more random events in response to a request; and

- 5 automatically activating a secondary random event generator, upon transition of the status of the primary random event generator from an active status to a failed status, to generate, in response to a request, one or more random events upon which an outcome of the at least one game of chance is based.
- 10 There is further provided for switching a status of the secondary random event generator between an inactive state when the status of the primary random event generator is active, and an active state when secondary random event generator has been automatically activated, for generating the one or more random events upon which an outcome of the at least one game of chance is based by means of
- 15 primary and secondary software random number generators, for executing the primary software random number generator in a first gaming server, for executing the secondary software random event generator in a secondary gaming server, for detecting failure of either one of the primary random number generator and the primary gaming server by means of a watchdog facility, for transmitting
- 20 request data packet from the watchdog facility to the primary gaming server at regular intervals and monitoring each request data packet for a corresponding response from the primary gaming server within a predetermined time interval, for switching the status of the primary random event generator from the active state to the failed state when any request data packet from the watchdog facility
- 25 does not receive a corresponding response from the primary random event generator within the predetermined time period, and for directing any request for generation of the one or more random events to the secondary random event generator when the status of the secondary random event generator is a failed status.

30

- There is still further provided for associating the primary and secondary gaming servers with corresponding storage memories, for synchronising data in the respective storage memories of the primary and secondary gaming servers at
- 35 predetermined intervals, and for generating any one or both an audible and a visual alarm when failure of the primary gaming server has been detected.

5

BRIEF DESCRIPTION OF THE DRAWINGS

One embodiment of the invention is described below, by way of example only,
10 and with reference to the abovementioned drawings, in which:

Figure 1 is functional representation of a gaming system according to the
invention.

15

Detailed Description of the Invention

Referring to figure 1, a gaming system is indicated generally by reference
numeral (1).

20

The gaming system (1) includes a primary gaming server (2), a secondary
gaming server (3) and a plurality of player stations (4) located remotely from the
gaming servers (2 and 3). Communication between the player stations (4) and
the primary and secondary gaming servers (2 and 3) is provided by means of a
25 communication network (5), that is in this embodiment, the Internet. Each player
station (4) is composed of a computer workstation with a display monitor (6) and
a pointing device (7) such as a mouse. Each computer workstation (4) operates
under a Windows 2000 operating system, which is well known and commercially
available from the Microsoft Corporation of Seattle, Washington, USA. The
30 primary and secondary gaming servers (2 and 3) operate under the Windows NT
system, which is also a product of the Microsoft Corporation.

The gaming system (1) enables a player to play a game of chance at any one of
the player stations (4). A number of different players may play the game of
35 chance simultaneously, each player playing from a different player station (4). It
is anticipated that the player stations (4) will be placed at different locations

5 throughout a geographic region, such as entertainment venues, shopping centres, games arcades, cinemas, night clubs, betting shops and the like.

The embodiments of the invention will be described with particular reference to a game of chance that is a single-player three-reel video slots game. It is to be
10 clearly understood, however, that the invention extends to include the use of other types of single player games of chance such as, for example video slots. Each gaming server (2 and 3) is instructable to execute a respective software random number generator (2g and 3g) that generates random events that determine the outcome of a turn of the three-reel video slots game. The computer
15 workstation of each player terminal (4) executes a respective computer program that renders to the player on the display monitor (6) a simulation of the three-reel video slots game. The progress of the simulation of the three-reel video slots game is controlled by the player by means of the pointing device (7). Each player station (4) also includes a controller (8) and a watchdog facility (9) that regulates
20 interaction between the player station (4) and the primary and secondary gaming servers (2 and 3). The operation of the player stations (4) and the primary and secondary gaming servers (2 and 3) will be described in greater detail in the description that follows.

25 A player wishing to play a turn of the three-reel video slots game at a particular player station is first required to place a wager on an outcome of the turn of the game. The player station (4) requests the generation of an outcome of the turn of the game from the gaming servers (2 and 3), according to the following steps:

- 30 1. the player station (4) stores a status of each of the primary and secondary gaming servers (2) and (3);
2. the status of the primary gaming server (2) is either an active status in which the primary gaming server (2) is able to generate one or more
35 random events in response to the request from the player station (4), and

- 5 a failed status when the primary gaming server fails to generate one or more random events in response to a request from the player station;
3. the status of the secondary gaming server (3) is either an inactive status when the status of the primary gaming server (2) is active, or an active
10 status when the status of the primary gaming sever is a failed status;
4. If the status of the primary gaming server (2) is an active status, the controller (8) in the player station (4) routes the request from the player station to the primary gaming server, whose corresponding random
15 number generator (2g) generates a random event that determines the outcome of the turn of the three-reel video slots game, in particular, the outcome of a spin of the reels in the player's particular turn of the three-reel video slots game;
- 20 5. If the status of the primary gaming server (2) is a failed status, and the status of the secondary gaming server (3) is an active status, the controller (8) in the player station (4) routes the request from the player station to the secondary gaming server, whose corresponding random number
25 generator (3g) generates a random event that determines the outcome of the turn of the three-reel video slots game, in particular, the outcome of a spin of the reels in the player's particular turn of the three-reel video slots game;
- 30 6. the primary gaming server (2) or the secondary gaming server (3), as requested, returns the outcome of the turn of the game to the player station (4), along the communication network (5), and the player station displays the outcome of the turn of the game to the player on the display monitor (6) of the player station in an intelligible manner, by simulating on
35 the monitor an animation of three spinning reels that come to rest at appropriate indexed positions corresponding to the generated outcome.

5 The status of the primary and secondary gaming servers (2 and 3) is monitored
by the watchdog facility (9) in the player station (4). The watchdog facility (9)
comprises a watchdog timer program (not shown) that is executed in the player
station (4). The watchdog timer program (not shown) operates in a manner that is
well known in the art, namely polling the primary gaming server (2) at regular
10 intervals by transmitting to the primary gaming server a request data packet at
regular intervals and monitoring each request data packet for a corresponding
response from the primary gaming server within a predetermined time interval.
Whenever an expected response is not received from the primary gaming server
(2) within the predetermined time interval, the watchdog facility (9) switches the
15 status of the primary gaming server (2) from active to failed, and the status of the
secondary gaming server (3) from inactive to active. Upon occurrence of this
event, future game outcomes are obtained from the secondary gaming server (3),
as described above. The watchdog facility (9) also generates either one, or both,
an audible alarm and a visible alarm when the status of the primary gaming
20 server (2) changes from active to failed.

In order for the transition of the status of the primary gaming server (2) from
active to failed, and the status of the secondary gaming server (3) from inactive
to active, to occur seamlessly without interruption of service to the player at the
25 player station (4), it is important that the primary and secondary gaming servers
be synchronised at regular intervals. Such synchronisation occurs by means of
the communication network (5) in a manner that is well known in the art and that
will not, for this reason, be described here in detail.

30 Numerous modifications are possible to this embodiment without departing from
the scope of the invention. In particular, the status of the primary and secondary
gaming servers (2 and 3) may be stored centrally in each of the gaming servers
themselves, where they are accessible to each of the player stations, rather than
being stored locally in each of the player stations themselves. In the standalone
35 topology described above, the primary and secondary software random number

10

5 generators may be executed on separate processors, respectively, within the player station (4) itself in order to provide a required degree of redundancy.

The invention therefore provides a gaming system with redundant random number-generation that exhibits improved up time relative to prior art equivalent.

10

15

20

25

30

35




Figure 1

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ BLACK BORDERS

☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☐ FADED TEXT OR DRAWING

☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☐ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☐ LINES OR MARKS ON ORIGINAL DOCUMENT

☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.